

Dane do obliczeń :Budowa chlewni, Wola Niechcicka Stara, gm. Rozprza, dz. nr ew. 205, pora dzienna

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	222.1	361.4	7.3	64.0	symbol
2	222.6	357.6	7.3	64.0	symbol
3	222.6	355.5	7.3	64.0	symbol
4	222.7	351.2	7.3	68.0	symbol
5	223.0	347.0	7.3	64.0	symbol
6	210.6	344.8	7.3	61.0	symbol
7	223.0	345.4	7.3	61.0	symbol
8	211.0	340.2	7.3	64.0	symbol
9	223.4	341.0	7.3	64.0	symbol
10	211.2	335.5	7.3	61.0	symbol
11	223.7	336.5	7.3	61.0	symbol
12	211.2	334.1	7.3	61.0	symbol
13	223.7	334.7	7.3	61.0	symbol
14	211.5	329.6	7.3	64.0	symbol
15	224.0	330.4	7.3	64.0	symbol
16	211.7	325.3	7.3	61.0	symbol
17	224.3	325.8	7.3	61.0	symbol
18	211.8	323.5	7.3	61.0	symbol
19	224.3	324.2	7.3	61.0	symbol
20	212.2	319.2	7.3	64.0	symbol
21	224.8	319.8	7.3	64.0	symbol
22	212.2	314.6	7.3	61.0	symbol
23	225.1	315.2	7.3	61.0	symbol
24	212.3	312.8	7.3	61.0	symbol
25	225.0	313.4	7.3	71.0	symbol
26	212.6	309.0	7.3	71.0	symbol
27	225.1	309.4	7.3	71.0	symbol
28	212.8	307.2	7.3	71.0	symbol
29	225.4	308.0	7.3	71.0	symbol
30	213.3	301.1	7.3	71.0	symbol
31	225.8	302.1	7.3	71.0	symbol
32	213.6	294.7	7.3	71.0	symbol
33	226.1	295.7	7.3	71.0	symbol
34	213.9	288.5	7.3	71.0	symbol
35	226.6	289.4	7.3	71.0	symbol
36	214.4	283.7	7.3	74.0	symbol
37	226.9	284.5	7.3	74.0	symbol
38	214.7	277.3	7.3	78.0	symbol
39	227.4	278.1	7.3	78.0	symbol
40	215.0	270.9	7.3	74.0	symbol
41	227.7	271.4	7.3	74.0	symbol
42	221.6	266.1	8.0	78.0	symbol
43	222.1	261.0	8.0	78.0	symbol
44	222.4	255.8	8.0	78.0	symbol
45	222.6	250.6	8.0	78.0	symbol
46	216.8	245.0	7.3	74.0	symbol
47	229.1	245.4	7.3	74.0	symbol
48	215.0	480.0	1.0	68.1	zp-
49	215.9	464.0	1.0	68.1	zp-

50	216.7	448.0	1.0	68.1	zp-
51	217.6	432.0	1.0	68.1	zp-
52	218.4	416.0	1.0	68.1	zp-
53	219.3	400.0	1.0	68.1	zp-
54	220.1	384.0	1.0	68.1	zp-
55	221.0	368.0	1.0	68.1	zp-
56	215.0	479.0	1.0	69.7	zp-
57	216.1	463.7	1.0	69.7	zp-
58	217.3	448.4	1.0	69.7	zp-
59	218.4	433.1	1.0	69.7	zp-
60	219.6	417.9	1.0	69.7	zp-
61	220.7	402.6	1.0	69.7	zp-
62	221.9	387.3	1.0	69.7	zp-
63	223.0	372.0	1.0	69.7	zp-
64	231.0	373.0	1.0	63.2	zp-
65	237.0	374.0	1.0	63.2	zp-
66	237.0	366.0	1.0	69.6	zp-
67	236.7	348.3	1.0	69.6	zp-
68	236.3	330.7	1.0	69.6	zp-
69	236.0	313.0	1.0	69.6	zp-
70	215.0	478.0	1.0	68.1	zp-
71	216.0	462.1	1.0	68.1	zp-
72	217.0	446.3	1.0	68.1	zp-
73	218.0	430.4	1.0	68.1	zp-
74	219.0	414.6	1.0	68.1	zp-
75	220.0	398.7	1.0	68.1	zp-
76	221.0	382.9	1.0	68.1	zp-
77	222.0	367.0	1.0	68.1	zp-
78	228.0	368.0	1.0	59.9	zp-
79	232.0	368.0	1.0	59.9	zp-
80	234.0	364.0	1.0	63.5	zp-
81	234.0	357.0	1.0	63.5	zp-
82	234.0	350.0	1.0	63.5	zp-
83	215.0	477.0	0.5	58.9	zp-
84	216.6	461.7	0.5	58.9	zp-
85	218.1	446.4	0.5	58.9	zp-
86	219.7	431.1	0.5	58.9	zp-
87	221.3	415.9	0.5	58.9	zp-
88	222.9	400.6	0.5	58.9	zp-
89	224.4	385.3	0.5	58.9	zp-
90	226.0	370.0	0.5	58.9	zp-
91	230.0	370.0	0.5	47.2	zp-
92	232.0	370.0	0.5	47.2	zp-
93	233.0	364.0	0.5	58.4	zp-
94	233.8	350.8	0.5	58.4	zp-
95	234.6	337.6	0.5	58.4	zp-
96	235.3	324.3	0.5	58.4	zp-
97	236.1	311.1	0.5	58.4	zp-
98	236.9	297.9	0.5	58.4	zp-
99	237.7	284.7	0.5	58.4	zp-
100	238.4	271.4	0.5	58.4	zp-
101	239.2	258.2	0.5	58.4	zp-
102	240.0	245.0	0.5	58.4	zp-

=====

Źródła typu hala produkcyjna :

WSPÓLRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	203.6	361.0	227.6	362.8	235.4	244.4	210.8	243.2	0.0	4.7

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekranu akustyczne :

WSPÓLRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	226.3	442.1	238.1	443.3	239.0	434.4	226.8	433.0	0.0	7.1
2	187.2	457.9	199.4	458.6	201.6	418.3	189.8	417.8	0.0	7.0
3	222.2	469.7	235.0	470.6	235.4	461.8	222.7	460.8	0.0	8.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000